

Aluminum Pie Pans



The Classic Container Every Pie Deserves

D&W aluminum pie pans offer classic performance and design to make any pie shine on the shelf or table. These durable, versatile containers protect contents on display or during transport, are fully recyclable and stand up to any temperature application. There's a perfect size and design feature for every pie.




Aluminum Pie Pans



KEY FEATURES & BENEFITS:

- ▶ **Iconic** design with decades of proven performance
- ▶ **Versatile** to go from freezer to oven/microwave to table
- ▶ **Superior** engineering and construction yield optimal pie crust quality
- ▶ **Recyclable** material demonstrates environmental stewardship
- ▶ **Perfectly** complemented by our pie hinged and two-piece containers



Lanced Pin Hole Option



Perforated 1/8 in. Punch Hole Option



13060



13061



13280



13440



13480



13750



11600

| Item No. | Description | Material | Gauge | PRODUCT DIMENSIONS (In.) | | | | | Fluid Ounce | Available Perforated or Lanced? | Case Wt. (lbs) | Cube (ft.3) | Case Pack | TL TI x HI | Other Quantities Available |
|----------------------|---------------------------|----------|-------|--------------------------|--------|--------|----------------|-------------|-------------|---------------------------------|----------------|-------------|-----------|------------|----------------------------|
| | | | | Top Out | Top In | Bottom | Vertical Depth | Slant Depth | | | | | | | |
| 3-6" Pie Pans | | | | | | | | | | | | | | | |
| 13060 | 3 In Medium Tart (306) | Alum | STND | 3.44 | 3.00 | 2.00 | 0.88 | 0.94 | 2.50 | - | 14.50 | 2.24 | 3000 | 6x6 | - |
| 13061 | 3 In Deep Tart (306) | Alum | STND | 3.44 | 3.00 | 2.00 | 0.88 | 0.94 | 2.50 | Lance | 7.83 | 1.70 | 2000 | 9x6 | - |
| 13101 | 4 In Shallow Tart (310) | Alum | STND | 4.00 | 3.50 | 2.50 | 0.64 | 0.81 | 2.50 | - | 11.02 | 2.31 | 2000 | 6x6 | - |
| 13320 | 4 In Medium Tart (332) | Alum | STND | 4.00 | 3.63 | 2.50 | 0.84 | 1.02 | 3.50 | - | 12.00 | 2.24 | 2000 | 6x6 | - |
| 13180 | 4 In Medium Tart (318) | Alum | STND | 4.19 | 3.69 | 2.88 | 0.67 | 0.78 | 3.20 | - | 13.00 | 2.31 | 2000 | 6x6 | - |
| 13280 | 4 In Medium Tart (328) | Alum | STND | 4.25 | 3.75 | 2.88 | 0.72 | 0.84 | 4.00 | - | 13.00 | 2.55 | 2000 | 6x6 | - |
| 13380 | 4 In Deep Tart (338) | Alum | STND | 4.25 | 3.63 | 2.50 | 1.03 | 1.19 | 4.30 | - | 16.00 | 2.79 | 2000 | 6x6 | - |
| 13440 | 5 In Medium Tart (344) | Alum | STND | 4.88 | 4.13 | 3.00 | 0.91 | 1.06 | 5.00 | - | 17.10 | 2.21 | 2000 | 5x7 | - |
| 13480 | 5 In Deep Tart (348) | Alum | STND | 5.06 | 4.38 | 3.00 | 1.19 | 1.34 | 7.10 | - | 20.00 | 3.45 | 2000 | 4x5 | - |
| 13582 | 5 3/4 In Deep Tart (358H) | Alum | HVY | 5.72 | 5.00 | 3.38 | 1.53 | 1.75 | 12.00 | Perf. | 21.00 | 2.79 | 1000 | 6x6 | - |
| 13750 | 5 3/4 In Xdeep Tart (375) | Alum | STND | 5.75 | 4.94 | 3.69 | 1.81 | 1.91 | 14.60 | - | 28.30 | 3.83 | 1500 | 6x4 | - |
| 11600 | 6 In Shallow Pie (160) | Alum | STND | 5.94 | 5.38 | 3.88 | 1.00 | 1.19 | 9.00 | Perf. | 13.80 | 2.54 | 1000 | 4x6 | Yes |

*Stock items are available in standard lead times. Lead times will be confirmed when order is placed. NS = NonStock. SO = Special Order. Product information is subject to change.

Aluminum Pie Pans



12820



10810



12800



12084



12890



10840

| Item No. | Description | Material | Gauge | PRODUCT DIMENSIONS (In.) | | | | | | Fluid Ounce | Available Perforated or Lanced? | Case Wt. (lbs) | Cube (ft.3) | Case Pack | TL TI x HI | Other Quantities Available |
|----------|-------------|----------|-------|--------------------------|--------|--------|----------------|-------------|--|-------------|---------------------------------|----------------|-------------|-----------|------------|----------------------------|
| | | | | Top Out | Top In | Bottom | Vertical Depth | Slant Depth | | | | | | | | |

8" Pie Pans

| | | | | | | | | | | | | | | | |
|-------|--------------------------------------|------|------|------|------|------|------|------|-------|-------|-------|-------|-------|-----|-----|
| 12850 | 8 In Medium Pie (285) | Alum | STND | 7.88 | 6.94 | 5.59 | 0.69 | 1.25 | 18.30 | Both | 25.00 | 4.48 | 1000 | 5x5 | - |
| 12820 | 8 In Medium Pie (282) | Alum | STND | 7.88 | 6.94 | 0.78 | 0.94 | 0.94 | 14.00 | - | 26.05 | 3.58 | 1000 | 5x6 | - |
| 11833 | 8 In Shallow Pie Lanced (183L) | Alum | STND | 7.94 | 7.38 | 5.88 | 0.75 | 1.06 | 14.40 | Lance | 29.30 | 4.48 | 1000 | 5x5 | - |
| 11829 | 8 In Medium Pie (182) | Alum | STND | 7.94 | 6.88 | 4.94 | 0.94 | 1.34 | 14.50 | Lance | 25.00 | 3.92 | 1000 | 5x5 | Yes |
| 13893 | 8 In Deep Pie (389) | Alum | STND | 7.94 | 7.00 | 5.00 | 1.44 | 1.88 | 24.00 | Both | 33.00 | 4.48 | 1000 | 5x5 | - |
| 10810 | 8 In Shallow Pie (81) | Alum | STND | 7.97 | 7.13 | 5.81 | 0.75 | 1.00 | 13.30 | Both | 24.70 | 4.01 | 1000 | 5x6 | Yes |
| 12800 | 8 In Medium Pie (280) | Alum | STND | 7.97 | 7.09 | 5.75 | 0.81 | 1.05 | 14.90 | Both | 26.00 | 4.48 | 1000 | 5x5 | - |
| 12830 | 8 In Medium Pie (283) | Alum | STND | 7.97 | 7.25 | 6.00 | 0.86 | 1.00 | 16.50 | - | 26.00 | 4.48 | 1000 | 5x5 | - |
| 10830 | 8 In Medium Pie (83) | Alum | STND | 7.97 | 7.06 | 5.88 | 0.88 | 0.69 | 19.30 | - | 24.00 | 3.48 | 1000 | 4x5 | - |
| 10820 | 8 In Medium Pie (82) | Alum | STND | 7.97 | 7.06 | 5.75 | 0.94 | 0.47 | 16.80 | Perf. | 26.00 | 3.48 | 1000 | 4x5 | - |
| 12840 | 8 In Medium Pie (284) | Alum | STND | 7.97 | 7.13 | 5.13 | 0.94 | 1.38 | 15.40 | - | 23.44 | 4.40 | 1000 | 5x5 | - |
| 11840 | 8 In Medium Pie (184) | Alum | STND | 7.97 | 6.88 | 4.97 | 0.95 | 1.41 | 14.70 | Perf. | 22.91 | 3.51 | 1000 | 5x5 | - |
| 11865 | 8 In Medium Pie (186) | Alum | STND | 7.97 | 6.88 | 4.88 | 1.00 | 1.41 | 15.30 | - | 22.27 | 4.04 | 1000 | 5x5 | - |
| 10860 | 8 In Medium Pie (86) | Alum | STND | 7.97 | 7.00 | 4.75 | 1.00 | 1.50 | 15.30 | - | 24.00 | 3.48 | 1000 | 4x5 | - |
| 11870 | 8 In Medium Pie Waffle (187) | Alum | STND | 7.97 | 7.13 | 5.38 | 1.00 | 1.31 | 17.60 | Lance | 26.00 | 3.48 | 1000 | 4x5 | - |
| 10850 | 8 In Medium Pie (85) | Alum | STND | 7.97 | 7.19 | 5.22 | 1.00 | 1.41 | 17.40 | Both | 25.00 | 3.98 | 1000 | 5x6 | Yes |
| 12084 | 8 In Pie Waffle (M2089) | Alum | STND | 7.97 | 7.00 | 5.44 | 1.09 | 1.38 | 18.90 | - | 3.50 | 0.41 | 100 | 4x5 | Yes |
| 12085 | 8 In Pie Waffle Gold Inside (M2089G) | Alum | STND | 7.97 | 7.00 | 5.44 | 1.09 | 1.38 | 18.90 | - | 320.0 | 41.02 | 11000 | 1x2 | - |
| 12890 | 8 In Deep Pie (289) | Alum | STND | 7.97 | 7.06 | 5.50 | 1.09 | 1.34 | 18.90 | Both | 27.00 | 4.48 | 1000 | 5x5 | - |
| 10840 | 8 In Deep Pie (84) | Alum | STND | 7.97 | 7.06 | 5.50 | 1.13 | 1.38 | 19.30 | Both | 27.00 | 3.98 | 1000 | 5x6 | - |

*Stock items are available in standard lead times. Lead times will be confirmed when order is placed. NS = NonStock. SO = Special Order. Product information is subject to change.

Aluminum Pie Pans



11902



12532



11940



10921



12440

| Item No. | Description | Material | Gauge | PRODUCT DIMENSIONS (In.) | | | | | Fluid Ounce | Available Perforated or Lanced? | Case Wt. (lbs) | Cube (ft.3) | Case Pack | TL TI x HI | Other Quantities Available |
|----------|-------------|----------|-------|--------------------------|--------|--------|----------------|-------------|-------------|---------------------------------|----------------|-------------|-----------|------------|----------------------------|
| | | | | Top Out | Top In | Bottom | Vertical Depth | Slant Depth | | | | | | | |

9" Pie Pans

| | | | | | | | | | | | | | | | |
|-------|---------------------------------------|------|-------|------|------|------|------|------|-------|-------|-------|-------|------|------|-----|
| 11902 | 9 In Medium Pie (190H) | Alum | HVY | 8.81 | 8.13 | 6.81 | 0.91 | 1.13 | 22.00 | Perf. | 19.00 | 2.85 | 500 | 4x6 | - |
| 12420 | 9 In Sh Pie Smooth Wall Waffle (2429) | Alum | STND | 8.88 | 8.00 | 6.25 | 1.16 | 1.45 | 29.10 | Perf. | 12.00 | 0.97 | 200 | 10x5 | Yes |
| 11928 | 9 In Deep Pie Waffle (1953H) | Alum | HVY | 8.88 | 7.97 | 6.25 | 1.16 | 1.44 | 25.60 | Perf. | 24.36 | 3.16 | 500 | 4x6 | Yes |
| 12532 | 9 In Deep Pie Smooth Wall (2529) | Alum | STND | 8.89 | 8.00 | 6.25 | 1.14 | 1.44 | 33.70 | - | 14.00 | 0.97 | 200 | 10x5 | - |
| 12525 | 9 In Deep Pie Waffle (2529H) | Alum | HVY | 8.89 | 8.00 | 6.25 | 1.14 | 1.44 | 33.70 | - | 14.00 | 0.97 | 200 | 10x5 | Yes |
| 12529 | 9 In Deep Pie Smooth Wall (2529H) | Alum | HVY | 8.89 | 8.00 | 6.25 | 1.14 | 1.44 | 33.70 | - | 14.00 | 0.97 | 200 | 10x5 | Yes |
| 12521 | 9 In Deep Pie Waffle (2529XH) | Alum | X HVY | 8.89 | 8.00 | 6.25 | 1.14 | 1.44 | 33.70 | - | 15.40 | 0.97 | 200 | 10x5 | - |
| 12530 | 9 In Deep Pie Smooth Wall (2529XH) | Alum | X HVY | 8.89 | 8.00 | 6.25 | 1.14 | 1.44 | 33.70 | - | 15.40 | 0.97 | 200 | 10x5 | - |
| 11940 | 9 In Medium Pie (194) | Alum | STND | 8.94 | 7.94 | 6.38 | 1.00 | 1.28 | 22.40 | - | 19.00 | 3.16 | 500 | 4x6 | - |
| 11950 | 9 In Deep Pie (195H) | Alum | HVY | 8.94 | 7.94 | 6.25 | 1.13 | 1.38 | 25.50 | Perf. | 23.00 | 3.16 | 500 | 4x6 | Yes |
| 11958 | 9 In Deep Pie (195XH) | Alum | X HVY | 8.94 | 7.94 | 6.25 | 1.13 | 1.38 | 25.50 | - | 28.00 | 3.16 | 500 | 4x6 | - |
| 12909 | 9 In Pie Bulged Sidewl (290) | Alum | STND | 8.94 | 8.38 | 6.75 | 1.06 | 1.38 | 26.00 | - | 16.50 | 3.22 | 500 | 4x5 | - |
| 10927 | 9 In Medium Pie (92) | Alum | STND | 8.97 | 8.25 | 6.75 | 0.94 | 1.19 | 23.00 | - | 15.80 | 2.78 | 500 | 4x6 | - |
| 10921 | 9 In Medium Pie (92H) | Alum | HVY | 8.97 | 8.25 | 6.75 | 0.94 | 1.19 | 23.00 | Perf. | 17.80 | 2.85 | 500 | 4x6 | Yes |
| 10923 | 9 In Medium Pie Perf (92XHP) | Alum | X HVY | 8.97 | 8.25 | 6.75 | 0.94 | 1.19 | 23.00 | Perf. | 21.00 | 2.85 | 500 | 4x6 | - |
| 10926 | 9 In Medium Pie (M92XH) | Alum | X HVY | 8.97 | 8.25 | 6.75 | 0.94 | 1.19 | 23.00 | - | 310.0 | 37.37 | 8000 | 1x1 | - |
| 11939 | 9 In Deep Pie (1952H) | Alum | HVY | 8.97 | 7.94 | 6.25 | 1.13 | 1.42 | 24.80 | - | 334.0 | 37.37 | 7000 | 1x2 | - |
| 11934 | 9 In Deep Pie Waffle (1952XH) | Alum | X HVY | 8.97 | 7.94 | 6.25 | 1.13 | 1.42 | 24.80 | - | 28.30 | 3.16 | 500 | 4x6 | - |
| 12440 | 9 In Deep Pie (244H) | Alum | HVY | 8.97 | 8.13 | 6.44 | 1.25 | 1.50 | 30.00 | Perf. | 21.76 | 3.16 | 500 | 4x6 | Yes |

*Stock items are available in standard lead times. Lead times will be confirmed when order is placed. NS = NonStock. SO = Special Order. Product information is subject to change.

Aluminum Pie Pans



| Item No. | Description | Material | Gauge | PRODUCT DIMENSIONS (In.) | | | | | Fluid Ounce | Available Perforated or Lanced? | Case Wt. (lbs) | Cube (ft.3) | Case Pack | TL TI x HI | Other Quantities Available |
|--------------------------------|-------------------------------------|----------|-------|--------------------------|--------|--------|----------------|-------------|-------------|---------------------------------|----------------|-------------|-----------|------------|----------------------------|
| | | | | Top Out | Top In | Bottom | Vertical Depth | Slant Depth | | | | | | | |
| 9" Pie Pans (Continued) | | | | | | | | | | | | | | | |
| 12450 | 9 In Xdeep Pie (245) | Alum | STND | 8.97 | 8.13 | 6.31 | 1.38 | 1.64 | 31.30 | Lance | 21.60 | 3.16 | 500 | 4x6 | Yes |
| 12453 | 9 In Xdeep Pie (245H) | Alum | HVY | 8.97 | 8.13 | 6.31 | 1.38 | 1.64 | 31.30 | - | 31.00 | 3.16 | 500 | 4x6 | - |
| 11930 | 9 In Medium Pie (193) | Alum | STND | 9.00 | 8.25 | 6.75 | 0.84 | 1.13 | 20.80 | Perf. | 20.26 | 2.85 | 500 | 4x6 | - |
| 11922 | 9 In Medium Pie (192) | Alum | STND | 9.00 | 8.25 | 6.75 | 0.91 | 1.19 | 22.20 | - | 19.00 | 3.16 | 500 | 4x6 | - |
| 11920 | 9 In Medium Pie (192H) | Alum | HVY | 9.00 | 8.25 | 6.75 | 0.91 | 1.19 | 22.20 | Perf. | 19.00 | 3.16 | 500 | 4x6 | - |
| 12470 | 9 In Medium Pie (247) | Alum | STND | 9.00 | 8.20 | 6.75 | 0.95 | 1.13 | 21.70 | Perf. | 16.46 | 2.85 | 500 | 4x6 | - |
| 12472 | 9 In Medium Pie (247XH) | Alum | X HVY | 9.00 | 8.20 | 6.75 | 0.95 | 1.13 | 21.70 | - | 20.00 | 2.85 | 500 | 4x6 | - |
| 10918 | 9 In Deep Pie Heavy | Alum | HVY | 9.00 | 8.25 | 6.75 | 1.06 | 1.06 | 26.00 | - | 21.65 | 2.89 | 500 | 4x6 | - |
| 10900 | 9 In Deep Pie (90) | Alum | STND | 9.00 | 8.06 | 6.38 | 1.13 | 1.25 | 22.00 | Perf. | 17.35 | 3.16 | 500 | 4x6 | - |
| 11967 | 9 In Deep Pie (196) | Alum | STND | 9.00 | 8.25 | 6.75 | 1.16 | 1.38 | 28.50 | - | 17.00 | 3.16 | 500 | 4x6 | - |
| 11960 | 9 In Deep Pie (196H) | Alum | HVY | 9.00 | 8.25 | 6.75 | 1.16 | 1.38 | 28.50 | Both | 19.00 | 2.85 | 500 | 4x6 | Yes |
| 11962 | 9 In Deep Pie (196XH) | Alum | X HVY | 9.00 | 8.25 | 6.75 | 1.16 | 1.38 | 28.50 | Perf. | 24.00 | 3.16 | 500 | 4x6 | - |
| 13433 | 9 In Shallow Pie Smooth Wall (3429) | Alum | STND | 9.00 | 8.00 | 6.28 | 1.16 | 1.41 | 27.00 | - | 14.00 | 0.97 | 200 | 10x5 | - |
| 13430 | 9 In Shallow Pie (3429H) | Alum | HVY | 9.00 | 8.00 | 6.28 | 1.16 | 1.41 | 27.00 | - | 14.00 | 0.97 | 200 | 10x5 | - |
| 10938 | 9 In Xdeep Pie P11 (G92) | Alum | STND | 9.00 | 8.25 | 6.50 | 1.25 | 1.50 | 29.00 | - | 37.07 | 5.01 | 1000 | 4x3 | - |
| 10913 | 9 In Deep Pie (91) | Alum | STND | 9.02 | 8.25 | 6.78 | 1.08 | 1.31 | 29.30 | Perf. | 21.00 | 3.16 | 500 | 4x6 | Yes |
| 10935 | 9 In Xdeep Pie (93XH) | Aum | X HVY | 9.02 | 8.25 | 6.56 | 1.28 | 1.50 | 33.00 | Perf. | 23.00 | 3.16 | 500 | 4x6 | - |
| 10931 | 9 In Xdeep Pie (93H) | Alum | HVY | 9.02 | 8.25 | 6.56 | 1.28 | 1.50 | 33.00 | Perf. | 21.00 | 3.16 | 500 | 4x6 | Yes |
| 12190 | 9 In Xdeep Pie (219) | Alum | STND | 9.03 | 8.31 | 6.63 | 1.27 | 1.50 | 30.00 | Perf. | 18.30 | 3.16 | 500 | 4x6 | - |
| 12191 | 9 In Xdeep Pie (219H) | Alum | HVY | 9.03 | 8.31 | 6.63 | 1.27 | 1.50 | 30.00 | Perf. | 22.00 | 3.16 | 500 | 4x6 | - |

*Stock items are available in standard lead times. Lead times will be confirmed when order is placed. NS = NonStock. SO = Special Order. Product information is subject to change.

Aluminum Pie Pans



11014



11000



11042



11104



11246

| Item No. | Description | Material | Gauge | PRODUCT DIMENSIONS (In.) | | | | | | Fluid Ounce | Available Perforated or Lanced? | Case Wt. (lbs) | Cube (ft.3) | Case Pack | TL TI x HI | Other Quantities Available |
|----------|-------------|----------|-------|--------------------------|--------|--------|----------------|-------------|--|-------------|---------------------------------|----------------|-------------|-----------|------------|----------------------------|
| | | | | Top Out | Top In | Bottom | Vertical Depth | Slant Depth | | | | | | | | |

10-12" Pie Pans

| | | | | | | | | | | | | | | | |
|-------|--------------------------------|------|-------|-------|-------|------|------|------|-------|-------|-------|-------|------|-----|-----|
| 11020 | 10 In Deep Pie (102) | Alum | STND | 9.59 | 8.69 | 7.00 | 1.16 | 1.44 | 30.20 | Perf. | 24.00 | 3.47 | 500 | 4x6 | - |
| 11014 | 10 In Shallow Pie | Alum | STND | 9.61 | 8.69 | 7.31 | 0.94 | 1.13 | 27.00 | - | 44.80 | 7.59 | 1000 | 2x3 | - |
| 11000 | 10 In Medium Pie (100) | Alum | STND | 9.63 | 8.88 | 7.50 | 0.91 | 1.13 | 26.50 | - | 23.00 | 3.08 | 500 | 4x6 | Yes |
| 11012 | 10 In Medium Pie Lanced (100L) | Alum | STND | 9.63 | 8.88 | 7.50 | 0.91 | 1.13 | 26.50 | Lance | 23.00 | 3.08 | 500 | 4x6 | - |
| 11008 | 10 In Deep Pie Lanced (1002L) | Alum | STND | 9.63 | 8.72 | 7.00 | 1.17 | 1.45 | 31.80 | Lance | 24.00 | 3.47 | 500 | 4x5 | - |
| 11040 | 10 In Deep Pie (104) | Alum | STND | 9.63 | 8.69 | 7.00 | 1.19 | 1.45 | 32.00 | - | 19.00 | 3.47 | 500 | 4x6 | Yes |
| 11042 | 10 In Deep Pie (104H) | Alum | HVY | 9.63 | 8.69 | 7.00 | 1.19 | 1.45 | 32.00 | Both | 23.20 | 3.47 | 500 | 4x6 | Yes |
| 11054 | 10 In Deep Pie (104XH) | Alum | X HVY | 9.63 | 8.69 | 7.00 | 1.19 | 1.45 | 32.00 | - | 25.00 | 3.47 | 500 | 4x6 | - |
| 11045 | 10 In Deep Pie (104XXH) | Alum | XXHVY | 9.63 | 8.69 | 7.00 | 1.19 | 1.45 | 32.00 | - | 29.00 | 3.47 | 500 | 4x6 | - |
| 11069 | 10 In Deep Pie (106) | Alum | STND | 9.81 | 8.94 | 7.50 | 1.06 | 1.28 | 32.00 | - | 292.0 | 37.37 | 5300 | 1x2 | - |
| 11060 | 10 In Deep Pie (106H) | Alum | HVY | 9.81 | 8.94 | 7.50 | 1.06 | 1.28 | 32.00 | Perf. | 24.20 | 3.80 | 500 | 4x6 | Yes |
| 11104 | 11 In Deep Pie (111) | Alum | STND | 10.56 | 9.56 | 7.59 | 1.31 | 1.63 | 36.00 | Both | 16.30 | 2.30 | 250 | 8x5 | - |
| 11107 | 11 In Deep Pie (111XH) | Alum | X HVY | 10.56 | 9.56 | 7.59 | 1.31 | 1.63 | 36.00 | - | 23.00 | 2.30 | 250 | 6x5 | - |
| 11240 | 12 In Deep Pie 31239 (124) | Alum | STND | 11.69 | 11.00 | 9.00 | 1.25 | 1.59 | 54.60 | Both | 18.60 | 2.34 | 250 | 6x5 | - |
| 11245 | 12 In Deep Pie (124H) | Alum | HVY | 11.69 | 11.00 | 9.00 | 1.25 | 1.59 | 54.60 | - | 23.35 | 2.79 | 250 | 6x6 | - |
| 11246 | 124 12 In Xdeep Pie G78 (500) | Alum | STND | 11.69 | 11.00 | 9.00 | 1.34 | 1.34 | 57.10 | - | 37.45 | 2.11 | 500 | 6x3 | - |

*Stock items are available in standard lead times. Lead times will be confirmed when order is placed. NS = NonStock. SO = Special Order. Product information is subject to change.



MADE IN USA



| Code | Explanation | Temperature Range | | | | | | |
|------|-------------|-------------------|------------|--------------|------------|--------------|-----------|--------|
| | | Flash Freeze | Freezer | Refrigerator | Room Temp. | WarmingTemp. | Microwave | Oven |
| Alum | Aluminum | -40° F | -15°-15° F | 33°-47° F | 72° F | 150°-200° F | 250° F | 400° F |
| | | -20°F ← → 400°F | | | | | | |

Note: These are typical values, based on testing and published guidelines. They are not intended for use as limiting specifications nor as a substitute for product testing under your specific conditions. D&W Fine Pack assumes no liability whatsoever in connection with the use of information or findings contained herein.



D&W Fine Pack LLC • 777 Mark Street • Wood Dale, Illinois 60191 • Phone: 800.849.4004 • dwfp.com
Please contact customer service or email customerservice@dwfp.com to place an order or for any questions you may have about our product portfolio. All rights reserved by D&W Fine Pack LLC ©2018.

AL-PIE-052018